LS5911 Release Document No. 2

Premises Inspection Tool Accessibility Calculator

Division:

Ī	KINGSFORD SMITH
	RANDWICK EAST
ı	DEANNA AND JAMES
٠,	Wednesday, 18 November 2015

Paper	Question		N/A		Accessible	Non-Accessible	Access
form ID		<u> </u>		<u> </u>	Answer	Answer	Failure
4	Parking Area				<u> </u>	_	
	Is parking available?			✓	Yes	□ No	
	What type of parking?		N/A	 ✓	Off-street	□ Street only	
	Does the parking area have adequate lighting?		N/A	 ✓	Yes	□ No	
	Designated for people with a disability:		N/A	□	1 or more	□ None No	
4-4	Is the parking area free of obstructions/hazards?	ш	N/A	V	Yes	□ No	
4.0	Designated Parking What there of designated parking appear is such black for people with disabilities?						
	What type of designated parking space is available for people with disabilities?						
4-6 4-7	Parking space type = 45 or 90 Degrees			_		1	
4-7	Parking space dimensions:				5400mm or	_ Smaller than	
	length (mm)		N/A		greater	5400mm	
					2400mm or	Smaller than	
	width (mm)		N/A		greater	2400mm	
4-8	Is there a dedicated or shared loading / unloading space beside the designated		N/A		Yes	_ No	
4-0	parking space?		11/7	Ψ.	163		
	Shared loading / unloading space dimensions (beside):		- N				
	width (mm)		N/A		2400mm or	□ Smaller than	
	` '	-	-(7)		greater	2400mm	
4-9	Is there a dedicated or shared loading / unloading space at one end of the designated parking space?	6	N/A		Yes	□ No	
	Shared loading / unloading space dimensions (end):						
	Shared loading / difloading space difficults (end).	2			2400mm or	_ Smaller than	
	length (mm)		N/A		greater	2400mm	
		\triangleright			2400mm or	Smaller than	
	width (mm)		N/A		greater	2400mm	
4-6	Parking space type = Parallel						
4-7	Designated parking space dimensions:						
	length (mm)		N/A		7800mm or	☐ Smaller than	
	iongui (min)		14// (greater	7800mm	
	width (mm)		N/A		3200mm or	□ Smaller than	
	Is there a dedicated or shared loading / unloading space beside the designated				greater	3200mm	
4-8	parking space?		N/A		Yes	□ No	
	Shared loading / unloading space dimensions (beside):						
					1600mm or	_ Smaller than	
	width (mm)		N/A		greater	1600mm	
	Designated Parking (cont'd)				<u> </u>		
4-11	Is the designated parking level?		N/A		Yes	□ No	
4-12	Is the designated parking within 50m of the premises entrance?		N/A		Yes	□ No	
	Is there unobstructed access to the footpath?		N/A		Yes	□ No	
	Kerb Ramp						
					No		
4-14	Is a ramp required to get from the parking area to the path of travel?			 ✓	Next 2 questions not		
	Voc:				required		
	Yes:						
4-15	Is a kerb ramp available? (I.e. to overcome the kerb?)		N/A		Yes		No □ Next question
4-13	is a kerb ramp available: (i.e. to overcome the kerb:)	Γ	IN/A		163		not required
4-17	Based on the above measurements, is the kerb ramp accessible? (I.e. Length <=		N/A		Yes	□ No	
	1520mm; Height <= 190mm; Gradient = 1:8 or 7.2 degrees or shallower)						
5	Path of Travel						
	Is the path of travel to the building entrance:						
5-1	Obvious and likely to be used?		N/A	✓	Yes	□ No	
5-2	Lit adequately?		N/A	√	Yes	□ No	
5-3	Firm and slip resistant?		N/A	 ✓	Yes	□ No	
5-4	Free of pot holes, ridges, overgrowth & debris?		N/A	√	Yes	□ No	
5-5	Free of cross-fall?		N/A	 ✓	Yes	□ No	
5-6	Level?		N/A	✓	Yes	□ No	
5-6	What is the estimated gradient?	V	N/A		1 in 14 or shallower	Steeper than	
5-7	At least 1m wide on straight, 1.5m wide on curves?		N/A	V	Yes	1 in 14 No	
5-7	free of obstructions?		N/A	∀	Yes	□ No	
5-9	free of lips greater than 3mm?	V	N/A		Yes	□ No	
3-3	100 of tipo groater than ortiff:		1 1/ /~1		163		

Division:

KINGSFORD SMITH
RANDWICK EAST
DEANNA AND JAMES
Wednesday 18 November 2015

Paper form ID	Question		N/A		Accessible Answer	Non-Accessible Answer	Access Failure
5	Path of Travel (cont'd)						
	Steps					0	
5-10	Is the area free of stairs/steps?				Yes Steps questions not required	EV .	
5-12	No: Are the steps in good condition?		N/A	✓	Yes	□ No	
0 12	Do the steps have:		11/7		Tes	140	
5-14	Constant rise and tread?		N/A	 ✓	Yes	□ No	
5-15	Closed risers?		N/A	 ✓	Yes	□ No	
5-16	Contrast nosings on each tread?		N/A	□	Yes	✓ No No	
5-17	Secure handrails on both sides? Ramps		N/A	<u>u</u>	Yes	□ No	
5-18	Is there a ramp available?	7	N/A		Yes		
5-19	Ramp height greater than 190mm			.(6			
5-20	Is the ramp gradient accessible? (I.e. 1:14 or shallower)		N/A	D.	Yes	□ No	
5-21	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes	□ No	
5-22	For every 9 metres along the ramp, are there landings of at least 1.2m long?		N/A		Yes	□ No	
5-23	Are there tactile indicators at the top and bottom?	P	N/A		Yes	□ No	
5-24	Are there suitable handrails on both sides of the ramp?	0	N/A		Yes	□ No	
5-25	Is there a suitable edge/kerb rail?		N/A		Yes	□ No	
5-19	Ramp height 190mm or less						
5-20	Is the ramp gradient accessible? (I.e. 1:10 or shallower and <= 1900mm long)		N/A		Yes	□ No	
5-21	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes	□ No	
5-25	Is there a suitable edge/kerb rail?		N/A		Yes	□ No	
N/A	Is a ramp required?	T		1			
	If the area is not free of steps, is there a ramp available to overcome the steps?	V	N/A		Yes		□ No
6	Building Entrance				Vee	□ No	
	Is external undercover queueing available for the premises entrance? Does the entrance area have adequate lighting?			✓	Yes Yes	□ No No	
0.0	Entrance Doorway				103		
6-4	What is the doorway opening width (mm)?			V	850mm or	□ 849 - 740mm	less than 740mm
6-5	Is the doorway/entrance covered and protected from rain?			Ø.	greater Yes	□ No	74011111
	Entrance Doormats						
6-8	Is the recessed mat level with the surrounding surface?	<u></u>	N/A	Ø	Yes	□ No	
	Entrance Door						
6-11	Is the door easy for a person with a disability to push/ pull open?	Ь	N/A	V	Yes	□ No	
6-12	Does the door have a lever handle?		N/A	V	Yes	□ No	
6-12	Is the handle height between 900mm and 1100mm?		N/A	 ✓	Yes	□ No	
6-13	Is there sufficient unobstructed circulation space on both sides of the door?		N/A	V	Yes	□ No	
6-14	Is there sufficient space beside the door so the operator can open the door?		N/A	V	Yes	□ No	
	Threshold Ramp	-					
6-15	Is the doorway/entrance free of lips or thresholds > 3mm high? No:		N/A	Ø	Yes Next 2 questions not required		
6-16	Does the doorway/entrance have a threshold ramp?		N/A		Yes	No □ Next question no required	t
6-18	Based on the measurements, is the threshold ramp suitable? (I.e. Height <= 35mm; Gradient 1:8 or 7.2 degrees or shallower)		N/A		Yes	□ No	

Division:

KINGSFORD SMITH
RANDWICK EAST
DEANNA AND JAMES
Wednesday 18 November 2015

Paper form ID	Question		N/A		Accessible Answer	Non-Accessible Answer	Access Failure
7	Interior Building Entrance						
	Steps						
7-2	Is the area free of stairs/steps? No:				Yes Steps questions not required		
7-4	Are the steps in good condition?		N/A		Yes	□ No	
	Do the steps have:					8	
7-6	Constant rise and tread?		N/A	✓	Yes	□ No	
7-7	Closed risers?		N/A	 ✓	Yes	□ No	
7-8 7-9	Contrast nosings on each tread?		N/A	□	Yes	✓ No✓ No	
7-9	Secure handrails on both sides? Ramps		N/A		Yes	□ No	
7-10	Is there a ramp available?	V	N/A		Yes		
7-11	Ramp height greater than 190mm			6			
7-12	Is the ramp gradient accessible? (I.e. 1:14 or shallower)		N/A		Yes	□ No	
7-13	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes	□ No	
7-14	For every 9 metres along the ramp, are there landings of at least 1.2m long?		N/A		Yes	□ No	
7-15	Are there tactile indicators at the top and bottom?	Q(N/A		Yes	□ No	
7-16	Are there suitable handrails on both sides of the ramp?	В	N/A		Yes	□ No	
7-17	Is there a suitable edge/kerb rail?		N/A		Yes	□ No	
7-11	Ramp height 190mm or less						
7-12	Is the ramp gradient accessible? (I.e. 1:10 or shallower and <= 1900mm long)		N/A		Yes	□ No	
7-13	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes	□ No	
7-17	Is there a suitable edge/kerb rail?		N/A		Yes	□ No	
	Corridors						
	Are the corridors:						
7-19	Lit adequately?	V	N/A		Yes	□ No	
7-20	Floor surfaces even, firm carpets and/or secure floorboards?		N/A		Yes	□ No	
7-21	Free of obstructions?		N/A		Yes	□ No	
7-22	At least 1.2m wide and 1.5 x 1.5m on corners?		N/A		Yes	□ No	
	Lifts						
7-24	Is there a lift to the voting/activity area? Yes:						
7-26	Lift internal dimensions are accessible? (I.e. width > = 1100mm and depth > = 1400mm)	V	N/A		Yes	□ No	
7-27	Lift door opening is accessible? (I.e. > = 900mm)		N/A		Yes	□ No	
7-28	Lift controls are accessible? (I.e. height between 900mm and 1200mm)		N/A		Yes	□ No	
7-29	Are the handrails 865-1000mm high?		N/A		Yes	□ No	
N/A	Is a ramp or lift required?						
N/A	If the area is not free of steps, is there a ramp OR lift available to overcome the steps?		N/A		Yes		□ No

Division:

Γ	KINGSFORD SMITH
Γ	RANDWICK EAST
Γ	DEANNA AND JAMES
Г	Wednesday 18 November 2015

				•				
Paper form ID	Question		N/A	Π	Accessible Answer		Non-Accessible Answer	Access Failure
8	Voting/Activity Area Entrance							
8-3	Is the entrance undercover?		N/A	☑	Yes	0 (No	
8-4	Does the entrance area have adequate lighting?]	N/A	 ✓	Yes	Ø)	No	
	Steps				(10)	
8-5	Is the area free of stairs/steps?				Yes Steps questions not required	<i>2</i>		
8-7	No: Are the steps in good condition?		N/A	✓	Yes		No	
	Do the steps have:		14// \		Ö		140	
8-9	Constant rise and tread?		N/A	V	Yes		No	
8-10	Closed risers?		N/A	✓	Yes		No	
8-11	Contrast nosings on each tread?		N/A	-	Yes	✓	No	
8-12	Secure handrails on both sides? Ramps		N/A		Yes	✓	No	
8-14	Is there a ramp available?		N/A		Yes		No	
	·		14/7		163		NO	
8-15	Ramp height greater than 190mm	-	-(7)		•			
8-16	Is the ramp gradient accessible? (I.e. 1:14 or shallower)		N/A	✓	Yes		No	
8-17	Are there landings at the top and bottom at least 1.5m long?		N/A	☑	Yes		No	
8-18	For every 9 metres along the ramp, are there landings of at least 1.2m long?		N/A		Yes	v	No	
8-19	Are there tactile indicators at the top and bottom?	П	N/A		Yes	⊘	No	
8-20	Are there suitable handrails on both sides of the ramp?		N/A		Yes	V	No	
8-21	Is there a suitable edge/kerb rail?		N/A		Yes	v	No	
8-15	Ramp height 190mm or less							
8-16	Is the ramp gradient accessible? (I.e. 1:10 or shallower and <= 1900mm long)		N/A		Yes		No	
8-17	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes		No	
8-21	Is there a suitable edge/kerb rail?		N/A		Yes		No	
	Entrance Doorway							
8-22	What is the doorway opening width (mm)?				850mm or greater	V	849 - 740mm	less than 740mm
8-23	Is the doorway/entrance covered and protected from rain?				Yes		No	
	Entrance Doormats							
8-26	Is the recessed mat level with the surrounding surface?		N/A		Yes	v	No	
	Entrance Door							
8-29	Is the door easy for a person with a disability to push/ pull open?		N/A		Yes	v	No	
8-30	Does the door have a lever handle?		N/A	Ø.	Yes		No	
8-30	Is the handle height between 900mm and 1100mm?		N/A	Ø.	Yes		No	
8-31	Is there sufficient unobstructed circulation space on both sides of the door?		N/A		Yes	v	No	
8-32	Is there sufficient space beside the door so the operator can open the door?		N/A		Yes	✓	No	
	Threshold Ramp							
8-33	Is the doorway/entrance free of lips or thresholds > 3mm high?		N/A		Yes Next 2 questions not required			
8-34	Does the doorway/entrance have a threshold ramp?	_	N/A	ø	Yes		No Next question not required	
8-36	Based on the measurements, is the threshold ramp suitable? (I.e. Height <= 35mm; Gradient = 1:8 or 7.2 degrees or shallower)]	N/A	Ø	Yes		No	

Division:

KINGSFORD SMITH
RANDWICK EAST
DEANNA AND JAMES
Wednesday 18 November 2015

Paper form ID	Question		N/A		Accessible Answer	'	Non-Accessible Answer	Access Failure
8	Voting/Activity Area Entrance (cont'd)							
	Corridors					6		
	Are the corridors:					6	\bigvee	
8-38	Lit adequately?		N/A	Ø.	Yes	50	No	
8-39	Floor surfaces even, firm carpets and/or secure floorboards?		N/A	Ø.	Yes	<u> </u>	No	
8-40	Free of obstructions?		N/A	Ø	Yes	<u> </u>	No	
8-41	At least 1.2m wide and 1.5 x 1.5m on corners?		N/A	Ø	Yes		No	
	Lifts				(3)			
8-42	Is there a lift to the voting/activity area? Yes:			ار	Ø.			
8-44	Lift internal dimensions are accessible? (I.e. width > = 1100mm and depth > = 1400mm)		N/A	70	Yes		No	
8-45	Lift door opening is accessible? (I.e. > = 900mm)		N/A		Yes		No	
8-46	Lift controls are accessible? (I.e. height between 900mm and 1200mm)		N/A		Yes		No	
8-47	Are the handrails 865-1000mm high?		N/A		Yes		No	
	Premises interior - Is a ramp or lift required?							
N/A	If the area is not free of steps, is there a ramp OR a lift available to overcome the steps?		N/A		Yes			No
9	Voting / Activity Area							
9-3	Will there be at least 1.5m free circulation space around obstacles?			✓	Yes		No	
9-4	Is the voting/activity area well lit for purpose?			Ø	Yes		No	
9-5	Is the floor surface even?			✓	Yes		No	
	Is the floor surface slip-resistant?		N1/A	✓	Yes		No	
9-8	Are all carpeted areas low pile and firm? Steps	ш	N/A	V	Yes		No	
9-9	Is the area free of stairs/steps?			Ø	Yes Steps questions not required			
9-11	Are the steps in good condition?		N/A		Yes		No	
	Do the steps have:							
9-13	Constant rise and tread?		N/A		Yes		No	
9-14 9-15	Closed risers? Contrast nosings on each tread?		N/A N/A		Yes Yes		No	
9-15	Secure handrails on both sides?		N/A		Yes		No No	
0.10	Ramps		11//		163		140	
9-17	Is there a ramp available?	V	N/A		Yes			
9-17	64		IN/A		165			
9-19	Ramp height greater than 190mm Is the ramp gradient accessible? (I.e. 1:14 or shallower)		N/A		Yes		No	
9-20	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes		No	
9-21	For every 9 metres along the ramp, are there landings of at least 1.2m long?		N/A		Yes		No	
9-22	Are there tactile indicators at the top and bottom?		N/A		Yes		No	
9-23	Are there suitable handrails on both sides of the ramp?		N/A		Yes		No	
9-24	Is there a suitable edge/kerb rail?		N/A		Yes		No	
	Ramp height 190mm or less							
9-19	Is the ramp gradient accessible? (I.e. 1:10 or shallower and <= 1900mm long)		N/A		Yes		No	
9-20	Are there landings at the top and bottom at least 1.5m long?		N/A		Yes		No	
9-24	Is there a suitable edge/kerb rail?		N/A		Yes		No	
N/A	Is a ramp required?							
N/A	If the area is not free of steps, is there a ramp available to overcome the steps?	v	N/A		Yes			No

Division:

Premises name: Inspected by: Inspected date: KINGSFORD SMITH
RANDWICK EAST
DEANNA AND JAMES
Wednesday, 18 November 2015

Paper form ID	Question		N/A		Accessible Answer		Non-Accessible Answer	Access Failure
	Premises Building and Grounds Facilities							
	Premises Amenities							
10-20	Select all toilet and washroom facilities that are available:							
	For staff use		N/A	v	Accessible	D	Premises does not include Accessible	
	For public use		N/A	V	Accessible	0	Premises does not include Accessible	
10-21	Is there a clear path of travel to the ambulant/accessible toilets?		N/A	V	Yes		No	
	Premises Furniture							
10-26	Will a disabled access voting screen be provided?	V	N/A		Yes Next question not required			
10-27	Is there a table suitable for a table-top voting screen?		N/A	v	Yes		No	

Total 59 14 0

15-1 Premises Accessibility Determination

Accessibility rating determined as:

PARTIALLY Accessible - Accessible and Non Accessible answers

Legend	Accessible Answer Tally	Non-Accessible Answer Tally	Access Failure Tally
Premises calculated as NOT accessible	Any	Any	1 or more
	None	All	None
Premises calculated as PARTIALLY accessible	1 or more	1 or more	None
Premises calculated as FULLY accessible	All	None	None